

# Metal Roofing FAST!



Request Metal Wholesale at your local lumberyard!

# Contents

#### A - Panels

PRIME 3/4" Rib

**Drip Stop** 

Trim (Standard)

Snaplock

Snaplock - Trim

Speedlap

Metal Batten

Metal Batten - Trim

**PBR** 

PBR - Trim

### **B** - Accessories

Fasteners (Screws, Nails and Rivets)

Pipe Flashing

Skylights

Corrugated Panel

Ridge Vent

Cupolas

Weathervanes

Snow Guard

Bending Bar/Hemmer Tool

Touch Up Pens

Sealants

Closures and Vented Products

#### **C** - Information

Lavers of Protection

Understanding Our Substrates

**TEXTURED Metal Wins Again** 

**TEXTURED Metal Advantages** 

Roof Metal Length Calculation

How To Figure Screw Quantity

**Square Conversions** 

Trims Placement Chart

Color Availability Chart

AL	Alamo White
AG	Ash Gray
BA	Bare Galvalume
BW	Brilliant White
BR	Brite Red
BN	Brown
BU	Brown
BG	
BS	Burgundy
	Burnished Slate
CH	Charcoal
СМ	Copper Metallic
DG	Dark Green
GB	Gallery Blue
HU	Hunter Green
IV	Ivory
LS	Light Stone
МВ	Matte Black
oc	Ocean
PG	Pewter Gray
RU	Rustic Red
TN	Tan
TA	Taupe
wo	Warm Oak
WG	Weathered Gray
TAG	Textured Ash Gray
TBW	Textured Brilliant White
TBN	Textured Brown
TBG	Textured Burgundy
TBS	Textured Burnished Slate
тсн	Textured Charcoal
TDG	Textured Dark Green
TGB	Textured Gallery Blue
TGR	Textured Graphite
ТМВ	Textured Matte Black
TRU	Textured Rustic Red
TTA	Textured Taupe

# PRIME 3/4" Rib

# Panels



29 Gauge is available in all colors!

#### 26 Gauge is available in 18 colors!

(2 week lead time)

(See Color Availability page for available selection)

# PRIME 3/4" Rib



For panel lengths over 46' additional delivery charges may apply

# Liner

**Smooth** 

29 Gauge 26 Gauge **Perforated** 



P9LI LINER 29 Gauge BRILLIANT WHITE
Up to 4' on center spacing

. . . .

P6LI LINER 26 Gauge BRILLIANT WHITE

Up to 8' on center spacing

P9PEBW PERFORATED 29 Gauge BRILLIANT WHITE

- Sound deadening acoustic panel
- · Recommended for interior ceilings
- Up to 4' on center spacing

# PRIME 3/4" Rib

# **Condensation Contro**

# **Drip Stop**

\*\*\*\*DS

Drip Stop can be applied to all 3/4" Rib Panels



#### Areas of use:

- Post frame/agricultural buildings
- Self-storage buildings
- Workshops and garages
- Insulated buildings with ceilings

Drip Stop can hold more than one quart of water per ten square feet of space!

#### Advantages:

- Cuts installation time nearly in half with no labor needed for installing insulation.
- Allows you to work on the roof when the weather normally would keep you off.
- Arrives at the jobsite on the steel saving you time.
- Protects the steel, by reducing contact with corrosive fumes.



# How it works

When climate conditions cause condensation to occur, Drip Stop absorbs and holds that moisture in specially designed pockets in the membrane. When conditions return to above dew point, the moisture is released back into the air as normal humidity.




We recommend using a bottle torch to carefully burn the Drip Stop off the bottom Caution! edge of the panel on the eaves side to prevent wicking from the outside weather.

**Trim** 


# **Panels**

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"


#### Corner









C4 4" Corner



RR Residential Rake





IC 6" INSIDE Corner




YL54 #54 Corner with 1-1/2" offset


## Ridge


















RC26 26" Ridge Cap



## Valley










Special trims are made with ease at Metal Wholesale. Please provide a drawing when ordering custom trim.


# **Trim**

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"


#### **Eave**




GA Gutter Apron



**RE** Residential Eave




RDE Residential Drip Edge




**DE114** 1-1/4" Drip Edge




#### **Transition**




SW Sidewall




EW Endwall



EWO Endwall with Offset



UG Upper Gambrel



LG Lower Gambrel

A - 4

#### Base



SB Square Base




RG Rat Guard



BA Base Angle

## Sliding Door



SDJ Sliding Door Jamb

# **Trim**


# Panels

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"






DA5 5/8" Double Angle




DA 1-1/2" Double Angle




F 1/2" F-Channel


#### Soffit



SJ Soffit J-Channel




FJ7 7/8" F&J




FJ 1/2" F&J


#### Window



J J-Channel





WD Window Drip Cap




SD 3 Piece Soffit Divider

# ainted Inside!







1/2" F&J Painted Inside

**FJPI** 

# **Trim**


All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"

## Outside Angle

## **Overhead Door**

## **Versetta Trim**







OA712 7-1/2" Outside Angle

**ODJ** Overhead Door Jamb


VSC Versetta Stone Cap

OA6 6" Outside Angle

OA512 5-1/2" Outside Angle

OA312 3-1/2" Outside Angle

OA112 1-1/2" Outside Angle






#### **INSIDE Angle**


ODD Overhead Door Drip

VSJ Versetta Stone J-Channel




IA312 3-1/2" INSIDE Angle

IA112 1-1/2" INSIDE Angle



DOE Door Edge



VSDA Versetta Stone Double Angle




We guarantee each piece of trim to be free of defects and bent perfectly.

# **Trim**

# **Panels**


All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"

#### **Track Cover**



TC Track Cover Round FM


#### Misc.



SG Snow Guard


### Post Wrap

For a 6" x 6" Post




YL240 Post Wrap


For Laminated 3 Ply 2" x 6" Post (5 5/16" x 4 5/16")




YL550 YL550 Post Wrap




**TCTM** Track Cover Round TM



TCS Track Cover Square FM




TCSTM Track Cover Square TM



TCDH Track Cover Double
Heavy Duty Round FM

#### For a 4" x 4" Post



YL615 YL615 Post Wrap

# **Snaplock**

Now available in 24 colors!
See Color Availability Chart on page C1 for details



For panel lengths over 46' additional delivery charges may apply

2 Week lead time

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"



A - 9


# **Snaplock - Trim**

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"






- Net free area of up to 12 sq. in. per linear foot of ridge
- · Airflow: 730 cu. ft. per min. (per 10' ridge)











## **SPEEDLAP**

# Panels

# SPEEDLAP

**Precut Soffit Panel** 

Now available in Woodgrain!

## **Features:**

- · Color matched to our metal roofing and siding
- · Available in all colors
- · Heavy duty 29 gauge steel
- · Fast and easy to install
- · Both smooth and textured colors are available
- 15 sq. in. of free area per ft.







Expect 2 week lead time on lengths over 2 feet long





SS\*\*

16" Solid Soffit

SF\*\* 16" Full Vented Soffit





See color availability page for available colors



# **Metal Batten**



MB9T

Textured 29 Gauge

#### **Smooth**

MB9

Smooth 29 Gauge

0.75" Rib Height

10" Coverage

Minumum Length 3'

Max Length 20'

#### **Features:**


- Color matched to our other panel profiles
- · Available in all colors
- · Heavy duty 29 gauge steel
- · Fast and easy to install
- · Both smooth and textured colors are available













# Metal Batten - Trim

# **Panels**


















#### **Smooth**

PBR6

Smooth 26 Gauge

#### **Features:**

- Color matched to our other panel profiles
- · Heavy duty 26 gauge steel
- Fast and easy to install
- Available in 18 Smooth colors




## **PBR Panel - Trim**


# **Panels**




All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"


# RPRC RP 20" Ridge Cap Paint Paint Pitch 9 3/4" Hem Pitch Pitch 9 4/2" Hem








RPFR36 PBR 36" Formed Ridge Cap









1 1/4"

## **PBR Panel - Trim**



**7** 1/8"

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"

#### Misc. **Transition** Base **RP J-Channel** RP Sidewall **RPRG RP Rat Guard RPSW** 2 1/2" **Paint** 3 1/4" 2 3/4" 1 1/4" 3 ½" Paint . 1 ¾" **Paint** 13/8" **RPBA RPEW** RP Endwall RPFJ1 RP 1-3/8" F&J RP Base Angle 2 3/8" -1 3/8" 3 3/4" 1 3/8" 3 1/4" Paint Paint Paint 6" RPODJ RP Overhead Door Jamb **RPTI RP Tie In Trim** Paint Paint 5 1/4" **RPJT RP Jamb Trim** RPHSP RP High Side Parapet **RP Lower Gambrel Paint** Paint 4" 3 1/16" **Paint**

5 1/4"


## **PBR Panel - Trim**

# **Panels**



All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"

# **Gutter Trim and Accessories** RPSHO RP Sculptured Hang-On RPFGS RP Flat Gutter Strap 6 1/2" 2" **Paint RPSCE** RP Sculptured Eave **RPGS** RP Gutter Strap 12" 7 15/16" **Paint** RPBHO RP Box Hang-On **RPDS** RP Downspout 3 1/2" Paint 4" **RPBE RP Box Eave**



## Accessories

## **Fasteners**



250/Bag

250/Bag

250/Bag

250/Bag

250/Bag

250/Bag

3,000/Box

3,000/Box

2,500/Box

2,000/Box

1,500/Box

1,000/Box

#### **Metal to Wood Screw**







#### Product Features:

- 1/4" Hex Head
- · Hi-Low Threads
- Mechanical Zinc
- Type 17 Point
- · EPDM Bonded washer eliminates bulging, creating an excellent seal

MW\*\*34

MW\*\*1

MW\*\*2

MW\*\*3

MW\*\*112

MW\*\*212

# **V**Metal to Metal Screw







MM**78	#14 7/8" LAP Metal Screw	250/Bag	2,500/Box
MM**114	#12 1-1/4" Metal Screw	250/Bag	2,500/Box

#12 3/4" STITCH Wood Screw

#10 1" Wood Screw

#10 2" Wood Screw

#10 3" Wood Screw

#10 1-1/2" Wood Screw

#10 2-1/2" Wood Screw

#### Product Features:

- 5/16" Hex Head
- · Self Drilling
- · EPDM Bonded washer eliminates bulging, creating an excellent seal

## **Stainless Steel Cap Screw**



#10

MWSSCBW1 1" SS Cap Wood Screw Brilliant White 250/Bag 3,000/Box

MWSSCBW112 1-1/2" SS Cap Wood Screw Brilliant White 250/Bag 2,500/Box

#### Product Features:

#### In stock in Brilliant White ONLY

1/4" Hex Head

Hi-Low threads
 Stainless Steel cap - no rust

#### **PVC One Stepper Screw**



#12

PVCWBW114 1-1/4" One Stepper 304 Soft Stainless Steel Screw 500/Bag 2,500/Box

#### Product Features:

1/4" Hex Head

#### In stock in Brilliant White ONLY

Self-drilled expansion hole prevents cracking

B - 1



#### **OSB/Replacement Screw**



#12

MWNRBW1	1" Brilliant White	250/Bag	2,500/Box
MWNRBW112	1-1/2" Brilliant White	250/Bag	2,000/Box
MWNRBW2	2" Brilliant White	250/Bag	1,500/Box
MWNRBW212	2-1/2" Brilliant White	250/Bag	1,500/Box

**Product Features:** 

- 1/4" Hex Head
- Great for replacing nails In stock in Brilliant White

MWSG1

· Engineered for OSB application

# Shadow Grip Screw



- **Product Features:**
- 1/4" Hex HeadThicker #12 Shank
- Type 17 Point
- · High Low Thread

COMING

May 2025

1 screw per linear foot of Metal Batten panel plus fasteners for trim

250/Bag

#### Recommended for Metal Batten

#### **Skylight Screw**



#14

MWSKBW112

1-1/2" Brilliant White

1" Shadow Grip Bare

100/Bag

1,000/Box

2,500/Box

Product Features:

In stock in Brilliant White ONLY

· 3/8" Hex Head

Skylight to wood fastener

#### Low Profile Screw



T-25

 MWLPBW1
 1" Brilliant White
 250/Bag
 3,000/Box

 MWLPBW112
 1-1/2" Brilliant White
 250/Bag
 2,500/Box

Product Features:

- T-25 Head
- Low profile for finished look
   In stock in Brilliant White ONLY

# Accessories

## **Fasteners**



#### **Metal to Wood Pancake Screw**



MWPCT1 1" T-25 Torx Head Pancake Screw 250/Bag 3,000/Box

T-25 Torx Head

1 screw per linear foot of Snap Lock panels plus fasteners for trim

#### 3/16" Rivet



**RI\*\*316** 3/16" Rivet 250/Bag

Figure 1 rivet every 2 ft. for Z-Closure and Snap Vent

#### **Trim Nails**

NA\*\*114

1-1/4" Stainless Steel Trim Nail

1LB. Box





Trim nails work great when you have a detailed application like post wraps, header covers, or even fascia boards. You may want this clean appearance on your next project!



#### **Product Features:**

- Stainless steel
- 1-1/4" ring shank
- · Great for detailed trim applications

# **Pipe Flashing**

# Accessories





PF3	#3 1/4" - 5"	15/Box
PF5	#5 4-1/4" - 7-	1/2" 10/Box
PF*BW	Brilliant White	
PF*DB	Dark Blue	
PF*DG	Dark Green	
PF*LB	Light Blue	
PF*LG	Light Green	
PF*TC	Terra Cotta	
PF*BN	Brown	
PF*BR	Bright Red	

## **Square**



PF2S	#2	1/4" - 3"	20/Box
PF3S	#3	1/4" - 4"	20/Box
PF4S	#4	3" - 6"	10/Box
PF5S	#5	4" - 7"	10/Box
PF6S	#6	5" - 9"	10/Box
PF7S	#7	6" - 11"	10/Box
PF8S	#8	7" - 13"	5/Box
PF9S	#9	10" - 18"	5/Box

# Accessories

# **Pipe Flashing**



# k Hi-Temp 🦼



## **Hi-Temp Gray**





PFH3	#3	1/4" - 5"	10/Box
PFH4	#4	3" - 6-1/4"	10/Box
PFH5	#5	4-1/4" - 7-1/2"	5/Box
PFH6	#6	5" - 9"	5/Box
PFH7	#7	6" - 11"	5/Box
PFH8	#8	7" - 13"	5/Box
PFH9	#9	10" - 19"	5/Box

#### **Hi-Temp Red**



PFH3R	#3	1/4" - 5"	10/Box
PFH4R	#4	3" - 6-1/4"	10/Box
PFH5R	#5	4-1/4" - 7-1/2"	5/Box
PFH6R	#6	5" - 9"	5/Box
PFH7R	#7	6" - 11"	5/Box
PFH8R	#8	7" - 13"	5/Box
PFH9R	#9	10" - 19"	5/Box

## **Square Hi-Temp**







# **Pipe Flashing**

# Accessories

#### RetroFit™






PFR1 #1	3/4" - 2-3/4"	10/Box
PFR2 #2	2" - 7-1/4"	5/Box
<b>PFR3</b> #3	3-1/4" - 10"	5/Box

#### **Combo Black**







PFC3	#3	1/4" - 5"	15/Box
PFC4	#4	3" - 7"	10/Box

#### **Extreme Angle**





PFEA3 #3 1/4" - 6-1/4"

5/Box

#### **Product Features:**

- · Fits a 10/12 roof pitch
- For a pipe 4" or less the roof pitch range is 8/12 12/12



B - 6

# Accessories

# **Skylights**



#### **Skylight Ridge Cap**

Agricultural pole barns

Nearly any other application



# Accessories



Only available in Bare Galvalume

Only available in 12' length

# Available in TEXTURED


#### 3-1/2" Ridge Ventilator



VERV35BW 3-1/2" Ridge Ventilator BRILLIANT WHITE In stock

VERV35 3-1/2" Ridge Ventilator Confirm lead time when ordering






Approximately 36 Sq. In. of free area per linear foot

#### Ridge Cap profile for this vent

12" Ridge Cap

**Painted Side** 



#### Why a Stainless Steel diverter?

- In our studies the diverter is the first thing to deteriorate, leaving your investment unprotected.
- Our stainless steel diverter outlasts any steel or fiberglass diverter on the market.



## Available as a lighted cupola!



CULI	LED Light Kit W/Photo Cell	
CUT	TEXTURED Metal Cupola	
CU18	18" x 18" Cupola w/Base	1/Box
<b>CU24</b>	24" x 24" Cupola w/Base	1/Box
CU36	36" x 36" Cupola w/Base	1/Box
CU48	48" x 48" Cupola w/Base	1/Box

# Confirm lead times when ordering!



Please specify the roof pitch and choose your colors for the roof, sides, corners, and base of your cupola when placing an order.

- · Arrives fully assembled in a crate
- · Is very detailed and extremely heavy-duty
- · Has a built-in mesh screen to keep birds out

# Accessories

# Weathervanes







### Confirm lead times when ordering!



50/Box

#### **Snow Guard**

#### SGP Snow Guard Polycarbonate CLEAR



#### Product Features:

- · Polycarbonate material for optimal strength
- · Reinforced struts for additional holding power
- · 1.5" Base will fit 95% of roof panels
- UV Resistant

Snow Guard has a transparent face so you can see the roof color easily.

Keep a box in your job trailer for above sidewalks, walk-in doors, and overhead doors.

#### **Bending Bar - Hemmer**



**SLTOOL** Bending Bar - Hemmer



For Snap Lock Drip Edge and Offset Cleat

#### **Touch Up Pen**



Touch up paint pens are a great way to fix up minor scratches that may have happened during shipping or installation. Keep some on hand to be prepared!

# Accessories

# **Sealants**

#### Seal Foam





SEEM1	1" x 1" x 19.68' Roll	26/Box
SEEM112	1-1/2" x 1" x 13.12' Roll	24/Box

#### Product Features:

- Supplied with self adhesive on one side. After removal of packaging, material begins gradual expansion - more slowly in cold weather than in hot
- Will not dry out and become hard and brittle
- Is UV-stable
- Conforms to contours and fills gaps
- Is highly resistant to bugs and vermin
- Will not extrude from between joints like caulk or butyl tapes
- Maintains seal during thermal expansion and contraction of building panels

#### **Butyl Tape**





SEBU1	1" x 3/32" x 50' Roll	10/Box
SEBU3	3/8" x 3/32" x 45' Roll	48/Box

#### Installation Diagram




#### Product Features:

- Has superior adhesive strength
- Is resistant to UV light
- Withstands extreme roof temperatures
- Seal is not affected by expansion and contraction of metal

#### Caulk





Metal Roof Sealant provides a weather tight seal against water, wind, dust, and dirt. It offers exceptional adhesion to standard metal, aluminum, steel, galvanized surfaces, plastics, and glass. It also provides unbeatable adhesion to wood, masonry, PVC, and most common building materials.

#### Product Features:

- · Remains perfectly flexible
- · May be painted with water based paints 1 hour after application
- · Is suitable for all climates
- Produces long-lasting weather-tight seals



**Highly Durable** 



Application Temp: above 0° F

# Closures & Vented Products

# Accessories





3/4" Rib Inside Closure

**PBR Outside Closure** 

FCO	3/4" Rib OUTSIDE Closure w/adhesive	100/Box
FCI	3/4" Rib INSIDE Closure w/adhesive	100/Box
FCOR	PBR OUTSIDE Closure w/adhesive	100/Box
FCIR	PBR INSIDE Closure	100/Box

#### **Product Features:**

- Dimensions: 36" x 1"
- · High-density, blocks air flow
- · Exceptional adhesion to building materials
- · UV light resistant

**PBR Inside Closure** 



VELP

3' LP2 Ridge Vent Strip

25/Box

#### **Product Features:**

- · Pre-applied adhesive
- · High airflow for good ventilation
- 3/4" rib profile for a tight seal against the weather
- Tough mesh does not wrap up on screws

#### **Uni-Vent**



VEII

1" x 1-1/2" x 20' Uni-Vent Roll

135/Box

#### Product Features:

- · Has a pre-applied adhesive
- · Ventilates under ridge cap and hips
- · Figure 1 Roll per 10' 6" Ridge Cap

B - 14

# **Understanding Our Substrates**

#### **Galvanized Substrate**

Hot dipped zinc coating

Measured in weights of G60, G90, and G100

G100 means 1 oz of zinc per sq. ft. top and bottom combined

## **G100** PRIME 3/4" Rib

#### Galvalume Substrate

- 55% Aluminum, 45% Galvanized by volume
- · Application is measured by oz./sq. ft. on both sides
- · AZ50 coating is used for PRIME
- · AZ35 is used for liner panel

#### **Suggested Uses**





Hog barns

#### **Suggested Uses**



Commercial



Residential



Polebarns

## **THICKNESS of Substrate Coatings**


The heavier the substrate coating, the more years of protection you will enjoy.

Note: G90 will last 50% longer than G60.


# AZ35


#### Interior

Recommended for interior liner panels because of the minimal protection against corrosion.



Recommended for exterior. The heavier coatings will offer superior protection against corrosion.








# TEXTURED Wins Again!

The Metal Wholesale Team is doing research at a paint testing fence in southern Florida. We are very diligent about quality products and have product samples from our production facility on the test fence in every color we offer. Our Research Team has partnered with the top coating companies in the industry to test TEXTURED metal coatings and reach the same results every time. TEXTURED metal coatings will outperform Smooth SMP when it comes to fading and color retention.



These samples have been exposed to the harsh conditions of southern Florida for over 5 years. These intense conditions, equivalent to more than twice the exposure of anywhere north of Jacksonville Florida, rapidly accelerates the fading on painted panels and is the reason a lot of metal roofs in southern Florida are unpainted.

# **TEXTURED**

## Info Section



# **Textured Metal Advantages**

- · Exceptional color retention
- · Extra fade resistant
- Extremely durable finish
- Non-slip footing for safety
- · Elegant style with a matte finish
- · All your friends will love it!




The unique texture of Metal Wholersale's TEXTURED finish redirects light for enhanced visual depth, promising an improvement over the regular smooth finish. The responsive design allows its subtle shading to mirror the eye's motion, creating beautiful, shifting, shimmering tones.

#### **Testimonials**

- What I like about TEXTURED metal roofing, as a contractor and installer, is that it hides a
  lot of small wrinkles or scratches that can happen during installation and it also brings out
  your color nicely. It doesn't have that glare from the sun. I would use TEXTURED paint over
  smooth on any job! Norman Gingerich
- The appearance and durability of TEXTURED products adds value to almost any project. KC Builders
- TEXTURED metal gives your home a softer appeal, not shiny and glistening like the smooth
  pole barn metal. It's easier to walk on during installation, especially on steeper slopes, and in
  adverse conditions. John Wagler

# Roof Metal Length Calculation

Roof Pitch	Slope Factor
12/12	1.414
10/12	1.302
8/12	1.202
6/12	1.120
5/12	1.083
4/12	1.054
3/12	1.031
2/12	1.014
1/12	1.0035



**EXAMPLE** 

1.054 (4/12 pitch) x 20' Width = 21' Roof Panel Length



Remember to include overhangs in the width

Slope Factor

X

Width = Roof Panel Length

## How to Figure Screw Quantity

## PRIME 3/4" Rib Panel

100 Linear feet 1 Bag



## **Snaplock Panel Metal Batten Panel**

250 Linear feet 1 Bag



#### **PBR Panel**

150 Linear feet 1 Bag



C - 19




Industry Standard

Figuring 38" wide

PRIME 3/4" Rib Panel

PBR Panel



31.58 LF of Panel

Actual Coverage
Figuring 36" wide equals 33.33 LF of Panel

100 Sq. Ft. (1 Square)



16" Snaplock Panel

75 LF of Panel


100 Sq. Ft. (1 Square)



120 LF of Panel

# **Trims Placement Chart**

All trims are available in 10'6", 12'6", 14'6", 16'6", 18'6" and 20'6"



Notes

# Info Section

# Notes

# **Color Availability Chart**

# Info Section

1								
110	22200®	Page All	Page A12	Pac	ge Al	Page A14	Page A8	
METAL		r uge All		I u	Je Al	I uge Al-	1 age Ao	
Ž.	VHOLESALE LLC	SPEEDLAP	Metal Batten	PRIME	3/4" Rib	PBR	Snaplock	
		29 Gauge	29 Gauge	29 Gauge	26 Gauge	26 Gauge	26 Gauge	
	STANDARD LEAD TIMES	1 Week	2 Weeks	2-5 Days	2 Weeks	2 Weeks	2 Weeks	
AI	. Alamo White	•	•	•	•	•		
AC	Ash Gray	•	•	•	•	•	•	
BA	Bare Galvalume	•	•	•	•	•	• 4	
BW	Brilliant White	•	•	•	•	•	•	
ВЕ	Brite Red	•	•	•	•	•	•	
ВМ	Brown	•	•	•	•	•	•	
В	Buckskin	•	•	•				
ВС	Burgundy	•	•	•	•	•	•	
BS	Burnished Slate	•	•	•	•	•	•	
CH	Charcoal	•	•	•	•	•	•	
CM	Copper Metallic	•	•	•			•	
DO	Dark Green	•	•	•	•	•	•	
GE	Gallery Blue	•	•	•	•	•	•	
н	Hunter Green	•	•	•	•	•	•	
IV	Vory	•	•	•				
LS	Light Stone	•	•	•	•	•	•	
МЕ	Matte Black	•	•	•	•	•	•	
00	Ocean	•	•	•			•	
PC	Pewter Gray	•	•	•	•	•	•	
RU	Rustic Red	•	•	•	•	•	•	
TN	Tan Tan	•	•	•	•	•	•	
TA	Taupe	•	•	•	•	•	•	
wo	Warm Oak	•	•	•				
W	Weathered Gray	•	•	•				
TAC	Textured Ash Gray	•	•	•				
TBW	Textured Brilliant White	•	•	•				
	Textured Brown	•	•	•				
TBC	Textured Burgundy	•	•	•				
TBS	Textured Burnished Slate	•	•	•			•	
TCH	Textured Charcoal	•	•	•			•	
TDC	Textured Dark Green	•	•	•				
	Textured Gallery Blue	•	•	•				
TGF	! Textured Graphite	•	•	•			•	
TME	Textured Matte Black	•	•	•			•	
TRU	Textured Rustic Red	•	•	•				
TTA	Textured Taupe	•	•	•				



Snap Lock Panel - 16"

Metal Batten Panel - 10"

SPEEDLAP Soffit Panel - 16"

PBR Panel - 36"

3/4" Rib Prime Panel - 36"

888-509-4819

Sales@MetalWholesaleLLC.com



MetalWholesaleLLC.com